

Outdoor Floodlight

Smart Security Light Camera

Brighter and Safer

Light up dark spots and add security to outdoor areas around your house with a powerful full-HD security camera armed with ultra-bright lights and active defence.



Supports MicroSD Card (Up to 128 GB)



Light the Way Back Home

With dual 2500 LM LED lights, the Floodlight brightens up your way home and illuminates every dark corner of your front porch, backyard, and anywhere else that needs light.

Extra Protection with Active Defence

When someone enters the Floodlight's 270-degree PIR motion detection area, it emits a 100 dB alarm with flashing light to deter potential intruders. It simultaneously sends an alert with captured images to your smartphones. You can also customize the detection area to keep an eye on places where you need it the most.









Sharpest Night Guard

The EZVIZ Floodlight supports night vision up to 18 meters (60 ft.). It renders sharp, full-HD 1080p images even where there are no lights, so you keep a vigilant eye all night long.

Strong and Durable

Built for outdoor use, the Floodlight braves any weather – sun, rain, or snow, it stands strong.



Multiple Storage Solutions

Save your recordings with flexible and secured solutions. The Outdoor Floodlight comes with a built-in MicroSD card slot that can store up to 128 GB recorded footage. You can also save your images to EZVIZ Cloud for Additional back-up. (EZVIZ cloud storage service is only available in the US,UK and Europe.)



Specifications CS-LC1-A0-1B2WPFRL

System Parameters

Processor	High-Performance Embedded SOC Processor	Compression S
Operation System	Embedded Linux	Max. Resolutio

Light Parameters

		I	
Lamp	2		
LED	SMD LED		
Brightness	2500LM(-10%)		
CRI	80	((
Color Temperature	3000K		
Life-span	@B50L70 @Ta 25 °C 48000H		
		1	

PIR Sensor Detection

		.
Detection Distance	30 ft	
Detection Range	270 degrees	
Human Detection	Support	
		/

Camera Parameters

Resolution	1080p
Camera Angle	140°(Diagonal)
Night Vision	Up to 18m/60ft

Video Parameters

Compression Standard
Max. Resolution

Frame Rate

DNR BLC

Audio Parameters

Audio Input

Audio Output

Audio Quality

Network Parameters

Wireless Network Configuration Minimum network require

Storage

Local Storage

Cloud Storage

Event

Sensor

Alarm

Intelligence

Smart H.264
1920 × 1080, FHD
50Hz @ 25fps, 60Hz @ 30fps Adaptive frame rate of network transmission
3D DNR

Support

Built-in Omni-direction microphone Built-in loud speaker Noise suppression

	802.11 b/g/n @2.4GHz only (2T2R, Dual-antenna)	
	Soft AP Configuration	
rement	2.0 Mbps	

Supports MicroSD card (Up to 128 GB) EZVIZ Cloud Storage

PIR Motion Detection Sensor

Customized Alert Area

Motion Detection

Specifications CS-LC1-A0-1B2WPFRL

General

/		
	Siren	100-decibel alram
	Fixture Material	Cast aluminum(Light) and Plastics(Camera)
	Power Supply	Hardwired(110v-240v)
	Power Consumption	≤2W (normal), ≤8W (max)
	Ingress Protection Grade	IP65 on camera (Wet Location for light)
	Product Dimensions	196 x 211 x 227 mm/ 7.7 x 8.3 x 8.9 inch
	Packaging Dimensions	235 x 250 x 270 mm/ 9.3 x 9.8 x 10.6 inch
	Weight	1757g/ 3.9 lb

Package Contents:

- Screwdriver
- Mounting Screw Package
- 3 Connection Cables
- 3 Waterproof Kits
- Quick Start Guide

Requirements

- Operating Conditions: -30°C ~ 50°C (-20°F ~ 120°F), Humidity 95% or less

Certifications

CE

Specifications are subject to change without notice. EZVIZ is a registered trademark of Hangzhou EZVIZ Network Co., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders.

https://www.ezvizlife.com/